



VT-48 Industrial Evaporative Cooler

VT-48 Industrial Evaporative cooler are designed to work in Industrial and outdoor applications. It comes with a Soft Key Control Panel that allows you to choose desired fan speed & switch on/off pump. Control panel also provided with Small LCD panel. Control panel has facility to Set timer for Switching on/off cooler. Control panel has LED indication for Power, Blast, Cool, timer and Lack of water status. In case of low water level in water tank then "Lack of Water " LED will become red. VT-36 Cooler provide with base water tank with provision for connecting water pipe or add water manually. It also provided with floating valve which will disconnect water supply in case tank get full.



VT-48

Air Flow

34000 CMH

Voltage

220V-240V/50 Hz

Power Consumption

1000 Watts

Fan Speed Setting

Available

Pump On/off setting

Available

Timer Setting

Available

LCD Panel

Available

Noise Level (approx.)

66/68/70 db

Weight

182 kg

Dimension (W x D x H) mm

1970 x 915 x 2240

Tank Capacity

350 liters

Effective area

400-500 Sq. Meter

Lack of Water Indication

Available

Water Pipe Connection facility

Available

Control Technologies FZE

T : +971 6 5489626


M: +971 50 1537113

F : +971 6 5489627

E : sales@ctrltechnologies.com

w : www.ctrltechnologies.com





VT-48 Industrial Evaporative Cooler


Working Principle:

The Core component of evaporative air cooler is cooling pad (a high efficient & innovative evaporative core), a kind of pure natural plant fiber composite with multilayer corrugation. Its working principle is actually a natural physical phenomenon, i.e. "While water evaporates, a large amount of heat is absorbed"; that is to say, the water may flow from top to bottom under the gravity, and form water film over the corrugated fiber surface of the cooling pad; when the moving air passes the cooling pad, the water of water film will absorb the heat of air to evaporate, which will remove plenty of thermal energy and cause the temperature of air that passes through the cooling pad to drop, and purify the dirt and particle brought by air. The fresh air under the high efficient circulation will prevent diseases and pandemic diseases from being infected and create healthy and comfortable environment.



VT-48

How EVAPORATIVE COOLING works



Control Technologies FZE


T : +971 6 5489626

M: +971 50 1537113

F : +971 6 5489627

E : sales@ctrltechnologies.com

w : www.ctrltechnologies.com





VT-48 Industrial Evaporative Cooler

Advantages:

- Low Power consumption with efficient cooling. Less than 1/3rd the cost of refrigerated air conditioning.
- A complete natural process. Low water consumptions.
- Oxygen rich fresh air delivered to you.
- Body made with high quality strong plastic hence protected from corrosion.

Applications:



VT-48

APPLICATIONS OF EVAPORATIVE COOLERS



Church



Coffee Shop



Computer Shop



Factory



Farm



Fastfood



Grocery



Gym



Hospital



Industrial



Hotel



House



Kitchen



Laundry Shop



School



Shopping Mall



Showroom



Warehouse

Control Technologies FZE

T : +971 6 5489626

M : +971 50 1537113

F : +971 6 5489627

E : sales@ctrltechnologies.com

w : www.ctrltechnologies.com

